



Managing Network Resources	
Presented by	
Eldon Y. Li	
*** All right reserved. Video or audio recording and distributing are prohibited without the author's consent. Reference to this document should be made as follows: Li, E.Y. "Managing Network Resources," unpublished lecture, National Chung Cheng University, 2020.	
Copyright © 2020 E.Y. Li WMU GIMBA BUS 6180 Ch.4: IT MNR p.1	











# Description 1835 - Samuel Morse devised a recording telegraph and the Morse code. 1838 - electronic commence (EC) was born when William Fothergill Cooke and Charles Wheatstone deployed the first electrical telegraph system on the Great Western Railway. 09/1845 - John L. Ricardo and William Fothergill Cooke formed the Electric Telegraph Company, the first public telegraphy company in the world. 10/24/1861 - a telegraph network connected East and West Coasts of the U.S. using Morse-Vail Telegraph Key (invented by Samuel Morse and Alfred Vail), bringing an end to the Pony Express.




























# Timeline of Computing


- 1943 Colossus: Alan Turing develops the code-breaking machine Colossus
- **1944 Howard Aiken & Grace Hopper:** design the MARK series of computers at Harvard University
- **1945 ENIAC:** John Presper Eckert & John W. Mauchly develop the ENIAC (Electronic Numerical Integrator and Computer)
- **1946 F.C. Williams:** develops his cathode-ray tube (CRT) storing device, the forerunner to random-access memory (RAM)
- **1947 Pilot ACE:** Donald Watts Davies joins Alan Turing to build the fastest digital computer in England at the time, the Pilot ACE
- 1947 William Shockley: invents the transistor at Bell Labs
- 1949 Claude Shannon: builds the first machine that plays chess
- 1949 Howard Aiken: develops the Harvard-MARK III
- 1950 Hideo Yamachito: creates the first electronic computer in Japan
- **1950 Alan Turing:** publishes his paper Computing Machinery and Intelligence which helps create the Turing Test


WMU GIMBA BUS 6180 Ch.4: IT MNR. 17

Source: http://anddum.com/timeline/history\_short.htm

Copyright © 2020 E.Y. Li

Timeline of Computing • 1951 - LEO: T. Raymond Thompson and John Simmons develop the first business computer, the Lyons Electronic Office (LEO) at Lyons Co. • 1951 - UNIVAC: UNIVAC I (UNIVersal Automatic Computer I) is introduced - the first commercial computer made in the United States and designed principally by John Presper Eckert & John W. Mauchly • 1951 - EDVAC: The EDVAC (Electronic Discrete Variable Automatic Computer) begins performing basic tasks. Unlike the ENIAC, it was binary rather than decimal • 1953 - The IBM 701 becomes available and a total of 19 are sold to the scientific community • 1955 - Bell Labs: introduces its first transistor computer • 1971 - E-mail: is invented by Ray Tomlinson • 1971 - Liquid Crystal Display ( LCD ): is developed by James Fergason • 1971 - Pocket calculator: is invented by Sharp Corporation • 1971 - Floppy Disk: is created by David Noble with IBM - Nicknamed the "Floppy" for its flexibility. Source: http://anddum.com/timeline/history short.htm WMU GIMBA BUS 6180 Ch.4: IT MNR. 18 Copyright © 2020 E.Y. Li





# Timeline of Computing

- 1994 YAHOO is created in April, 1994.
- 1995 Amazon: Amazon.com is founded by Jeff Bezos on 09/20/1995
- 1995 EBay is founded by Pierre Omidyar on 09/20/1995
- 1995 Hotmail is started by Jack Smith and Sabeer Bhatia on 09/20/1995
- 1995 James Gosling and his co-workers introduced 'Java' language
- 1997 Microsoft acquires Hotmail
- 1998 Google: Google is founded by Sergey Brin and Larry Page on September 7
- 1998 PayPal is founded by Peter Thiel and Max Levchin
- 1999 Alibaba is founded by Jack Ma
- 2002 PayPal is acquired by eBay
- 2003 Skype is launched on 20 Aug, 2003
- 2004 Facebook is first launched on 20 Sep, 2004
- 2005 YouTube begins on 14 Feb, 2005
- 2005 eBay acquires Skpe on September 12, 2005
- 2006 iPhone: the first iPhone is released on 29 Jun, 2006
- 2008 First Android OS and Android Smartphone is released on 21 Oct, 2008

WMU GIMBA BUS 6180 Ch.4: IT MNR. 21


• 2014 - Microsoft acquires Nokia on April 25 and starts Microsoft Mobile


Source: http://anddum.com/timeline/history\_short.htm Copyright © 2020 E.Y. Li

Speed of Media		
Transmission Medium	TYPICAL SPEED	
Twisted pair, voice telephone	300–28,800 bps	
Twisted pair, conditioned	64 Kbps–1 Mbps	
Twisted pair in LAN	4 Mbps-16 Mbps	
Coaxial cable, baseband	10 Mbps-264 Mbps	
Coaxial cable, broadband	10 Mbps-550 Mbps	
Optical fibers in LAN	500 Kbps–30 Gbps	
Microwave (terrestrial)	12 Mbps-50 Mbps	
Microwave (satellite)	56 Mbps-274 Gbps	
Copyright © 2020 E.Y. Li	WMU GIMBA BUS 6180 Ch.4: IT MNR p.22	


Mobile	Usage	The range of	User Data Bandwidth	Coverage per
Generation	ID	Frequencies; (Examples)	(Practical examples)	Antenna & usage
3G	Mobile	850MHz, 2100MHz	2-10 Mbps	50 – 150km Suburban, City, Rural area
4G	Mobile	750MHz, 850MHz, 2.1 GHz, 2.3GHz and 2.6GHz ( <u>Centimeter</u> wave)	10-30 <u>Mbps</u> Long-Term Evolution (LTE) version	50 – 150km Suburban, City, Rural area
	Fixed Wireless		50-60 <u>Mbps</u> Long-Term Evolution (LTE) version	1 – 2km Home, office and high density area
5G	Mobile	3.6 GHz, 6 GHz	80-100 Mbps	50 – 80km Suburban, City, Rural area
	Fixed Wireless	24-86 GHz (Millimetre wave)	1-3Gbps	250 – 300 m Home, office and high density area


	4G vs. 5	5G	
Capability	Description	4G	5G Target
Data speed (uplink  downlink)	Achievable data rate across coverage area	50 Mbps   100 Mbps	500 Mbps   1 Gbps
Peak data rate	Maximum achievable data rate	1 Gbps	20 Gbps
Mobility	Maximum speed for handoff and QoS requirements	350 km/hr	500 km/hr
Latency	Radio network contribution to packet travel time	10 ms	1 ms
Connection density	Total number of devices per unit area	10 <sup>3</sup> /Km <sup>2</sup>	10 <sup>6</sup> /Km <sup>2</sup>
Area traffic capacity	Total traffic across coverage area	0.1 Mbps/m <sup>2</sup>	10 Mbps/m <sup>2</sup>
Modulation	Quadrature Amplitude Modulation (QAM)	64-QAM, 256-QAM	512-QAM, 1024- QAM
Frequency	The rate of oscillatory and vibratory phenomena	700MHz, 900MHz, 1800Mhz, 2600Mhz	28GHz, 60GHz (Extremely High Frequency, EHF)
Copyright © 2020 E.Y. Li		WMU GIMB	A BUS 6180 Ch.4: IT MNR. 24








Tecl It is The ben on c cust Cor glot cust geo		Chn We bu ge Tech start Cust conc pract satist have make and 1	Lil COr wh Techr great conn e-Coi custo inforr Comp them haver custo	Ce tee We feelin Techno commo Growt "explo the pla Social articul compa on the on prio react a	Welcome to adulthood! <b>2010s</b> Technology becomes fully intergrated into our daily lives. We live more fully in a digital world. Social Businesses are the evolution of companies now keenly aware that how they act and how they engage with customers can be more important than price, that the relationship is part of the value. Companies allow greater transparency into all apsects of the company and use social media channels to effectively engage with customers, but with a focus on WHAT the customer wants and HOW best to deliver it to the customer.
Co	pyright © 2020	E.Y. Li			WMU GIMBA BUS 6180 Ch.4: IT MNR. 27

























TCP/IP Model vs. OSI Mod31				
TCP/IP model	Protocols and services	OSI model		
	HTTP, FTTP,	Application		
Application	Telnet, NTP, DHCP, PING	Presentation		
		Session		
Transport	TCP, UDP	Transport		
Network	IP, ARP, ICMP, IGMP	Network		
Network	Ethernet	Data Link		
Interface		Physical		
Copyright © 2020 E.Y. Li		WMU GIMBA BUS 6180 Ch.4: IT MN	R p.36	
















### Components of Internet Server


- Firewall/Router: sorts and filters data passing to and from the Internet. This functionality is performed by software either installed on the server itself or on a separate box.
- Internet Service Provider: provides an IP address, works through the local telephone company to arrange for a leased line and provides installation and administration consulting services.

WMU GIMBA BUS 6180 Ch.4: IT MNR p.43

Copyright © 2020 E.Y. Li










## **Intranet Benefits**


- Connectivity
- Can be tied to legacy system and transaction processing
- Interactive applications with text, audio, video
- Scalable to larger or smaller systems as required
- Easy to use browser interface
- Low start-up costs
- Rich, responsive information environment
- Reduced information distribution costs WMU GIMBA BUS 6180 Ch.4: IT MNR p.47 Copyright © 2020 E.Y. Li





WMU GIMBA BUS 6180 Ch.4: IT MNR p.48
































Speed	& Cost of Media	
Medium	Speed	Cost
Wire Pair (Narrow-band)	45 bps - 150 bps (Bandwidth < 3 KHz)	Low
Twisted Pair (Voice-grade)	300 bps - 10 Mbps (Bandwidth = 3 KHz)	
Microwave (Radio wave)	256 Kbps - 100 Mbps (Bandwidth < 1+ GHz; 18,000 v-g channels)	
Satellite (Radio wave or laser)	256 Kbps - 100 Mbps (Bandwidth = 4 to 30 GHz 12,000 v-g + 2 TV channe	
Coaxial Cable (Broad-band)	56 Kbps - 200 Mbps (Bandwidth < 60+ MHz)	· ↓
Fiber Optics (Laser or LED)	56 Kbps - 10 Gbps (Bandwidth = 500M to 1G ~ 30,000 v-g channels) амг	


Types of Network Services		
Description	Bandwidth	
Packet switching standard that parcels data into packets of 128 bytes and performs error-correction routines	9.6 Kbps to 256 Kbps	
Packages data into frames for high-speed transmission over reliable lines but does not use error-correction routines	Up to 1.024 Mbps	
Parcels data into uniform cells to allow high-capacity transmission of voice, data, images and video between different types of computers	25 Mbps to 2.5 Gbps	
Digital dial-up network access standard that can integrate voice, data, and video services over copper wires.	Basic rate ISDN: 128 Kbps Primary rate ISDN: 1.5 Mbps	
	Description Packet switching standard that parcels data into packets of 128 bytes and performs error-correction routines Packages data into frames for high-speed transmission over reliable lines but does not use error-correction routines Parcels data into uniform cells to allow high-capacity transmission of voice, data, images and video between different types of computers Digital dial-up network access standard that can integrate voice, data, and video	


Service	Description	Bandwidth
FDDI (Fiber Distributed Data Interface)	A reliable, high-speed backbone for mission critical and high traffic networks that can support up to 500 stations on a single network and up to 60 kilometers apart.	Single ring: 100 Mbps, Dual ring: 200 Mbps
DSL (Digital subscriber line)	Series of technologies for high- capacity transmission over copper wires	ADSL: receiving up to 9 Mbps, sending up to 640 Kbps SDSL: sending and receiving up to 3 Mbps
Cable modem	Service for high-speed transmission of data over cable TV lines	Up to 10 Mbps
T1 (T3)	Dedicated telephone connection with 24 (672) channels for high capacity transmission	1.544 (44.736) Mbps, 64 Kbps/channel




































		Costs		
Incur cost Structure	Hardware	Software	Personnel	Teleprocessing
Centralized	L	L	L	Н
Decentralized	М	Н	М	L
DDP	Н	М	Н	М
		Ú		


Det	Ducces		1
		ing Demar	[]
Meet Structure	Computing/I-O	Communications	Response
Centralized	М	Н	L
Decentralized	L	L	М
DDP	Н	М	Н
Copyright © 2020 E.Y. Li		WMU GIMI	BA BUS 6180 Ch.4: IT MNR p.7












































## Three-Tier Architecture

- Client can responsible for only I/O interface (thin client).
- Application server(s) can keep and run all processing logic in application programs and stored procedures.
- Database server performs all data storage and access processing.

WMU GIMBA BUS 6180 Ch.4: IT MNR p.93

Copyright © 2020 E.Y. Li

